

# CHEVROLET G-4500 OSAGE "2168 SUPER WARRIOR" TYPE III

## STANDARD FEATURES

- MEMBER AMD
- CERTIFIED KKK-1822-F

### CHASSIS

- 2010 Chevrolet G4500 cut-a-way w/ YF2 Amb Prep Pkg
- 159" Wheel Base w/ Dual Rear Wheels
- GVWR: 14,200 LBS
- Front & Rear Stabilizer Bar
- 6.6 L Duramax Turbo Diesel w/ Block Heater Wired to the Shoreline
- Engine Hour Meter
- OEM High Idle Switch
- 6-Speed Automatic Transmission
- 4 - Wheel Disc Brakes w/ ABS
- 3.73 Gear Ratio w/ G-80 limited slip
- Stainless Steel Wheel Inserts
- Aluminum Diamond Plate Running Boards
- Rear Mud Flaps
- Dual Air Bags
- Interior / Exterior Trim Package
- Tilt Steering Wheel & Cruise Control
- Electric Windows & Door Locks
- Remote Keyless Entry
- AM/FM/CD Stereo Clock Radio
- Deluxe Cloth High Back Captains Chairs
- Velvac Mirrors with Heat & Power Adjust
- Daytime Running Lights

### MODULE

- Module Dimensions:  
168"L x 87"H x 96" W
- **Totally "Seamless" Body Construction**
- Exterior Side & Roof Panels .125" Aluminum
- One-Piece Exterior Side Panels
- One-Piece Crowned Roof
- Frame Members 2" x 2" Aluminum Tubing
- Frame Members on 12" Centers or Less
- Diamond Plate Shields:
  - \* Across Lower Rear of Body
  - \* Across Lower Front of Body
  - \* Lower 1/3 of Entry Doors
- All Exterior Doors "Pan-Formed" / Extruded Double Break Construction
- All Body Openings "**Seamless**"
- All Door Latches Mounted Behind Gaskets
- Exterior Compartment @ Front Left for Storage of Oxygen Tank and Back Boards
- Curbside Back Board Storage
- Exterior Compartment Adjustable Shelving
- Exterior Compartment Lighting
- Cast "Grabber" Door Holders
- Lower Body Impact Rub Rails
- Polished Stainless Steel Fenderettes
- Grip Strut Rear Step Bumper w/ 4" x 18" Dock Bumpers
- Automotive Undercoating

### WARNING SYSTEM

- Two Red Whelen 500 series LED Mounted in grill
- Two Red Whelen 7x3 LED Intersection Lights Mounted in Front Fenders
- Eight Red Whelen 9x7 Modular Lights
- One Clear Whelen 9x7 Front Modular Light
- One Amber Whelen 9x7 Rear Modular Light
- Two Optic Whelen 9x7 Scene Lights Per Side
- Two Optic Whelen 9x7 Rear Load Lights
- Primary / Secondary Switching
- Carson SA 400 Siren
- Siren / Horn Switch
- Cast Siren Speaker
- Rear DOT Lighting Whelen LED 4x6 w/ Chrome Flanges: Red Tail / Brake, Amber Arrow Turn
- Reverse are halogen
- LED Clearance / Marker Lights

## PAIN & MARKINGS

- 8" Belt Line Paint Stripe
- "No Smoking" & "Fasten Seat Belt" Signs
- Base Coat / Clear Coat Modular Paint
- Ambulance / Star-of-Life Decals

## ELECTRICAL

- OEM Dual 145 amp Alternators
- Digital Voltmeter
- Audible Low-Voltage Alarm
- Bosch, Vanner, Cole-Herse & Wired-Rite Components
- Printed Circuit Board w/ Load Management & Sequencing System
- LED Diagnostic System
- Wiring Color-Coded and Heat Embossed Every 6" w/ Function
- Power Distribution Panel Easily Accessible Via Hinged Access Door in Action Area
- One Piece Molded Front Switch Console
- Hinge Mounted Attendant Switch Console
- Control Console Backlighting Dimmer
- Battery Switch Activated via Ignition Switch
- Batteries; One Under Hood, One in Slide Out Tray
- Open Door Warning Light
- Three Light Silent Intercom
- Hand Held 300,000 CP Spotlight
- Florescent Checkout Lights
- Whelen Dual Intensity Halogen Patient Compartment Dome Lights
- Exterior Weatherproof Shoreline Receptacle
- Two Interior 110V Duplex Receptacles
- Two Interior 12V Cigar Style Receptacles
- One Pre-Wire Antenna Cable
- Electrical Back-up Alarm w/ Auto Re-set

## INTERIOR

- 72" Interior Headroom
- 51" Aisle Width
- All Vertical Corners 1" Radii
- Stainless Steel Aisle Panel, Left Side, Full Length x 18" x .060"
- Lon-Plate, non skid Vinyl Flooring Rolled 3" Up Both Sides of the Aisle
- EMT Seat, Pedestal Mounted Deluxe **Seamless** Vinyl Captains Chair
- CPR Seat, three piece, molded contoured cushions
- Squad Bench
- Retractable Seat Belts for All Locations
- Handicap Style, 1 1/2" Diameter, Full Length, Stainless Steel Overhead Grab Rail. This Rail shall be treated with Agion Anti-Bacterial Coating.
- Handicap Style, 1 1/2" Diameter, Stainless Steel Door Pulls on Patient Compartment Doors. These Bars shall be treated with Agion Anti-Bacterial Coating.
- Hinged "Pocket" Door in Walk Through
- Padded Bulk-Head Cabinet Doors
- ALS Compartment w/ In/Out Access
- 2 Adjustable & 1 Fixed Shelf in ALS
- R-29 Reflectics Insulation Throughout Module
- Thermostatically Controlled Patient Compartment Heat & Cool System
- 3-Speed Manual Fan Control
- Rear Heat & Cool Unit Mounted Floor Level;
  - \* Moisture Drains Directly Through Floor
  - \* Short Coolant Circulation Distance
  - \* Eliminates Vertical Circulation of Coolant
  - \* Unit Easily Accessible for Maintenance
- Overhead Air Distribution w/ Floor Level Air Return for Optimum Circulation
- Return Air Filtration
- Two Recessed, Swing-up Dual IV Hangers
- "Zico" Retaining Bracket for Oxygen "M" Cyl
- Three "Ohio" Oxygen Outlets
- Impact #324 Self-Contained Suction System
- Sharps Container (Shipped Loose)
- Locking Drug Compartment
- Clock w/ Sweep Second Hand
- Ferno Washington Model 175-4 Cot Fastener
- **Seamless Seat Cushions**

## **WARRANTY**

- Three Year / 36,000 Mile Product Conversion
- Five Year / 100,000 Mile (**Non Pro-rated**) Modular Paint
  - Six Year / 72,000 Mile Electrical System
  - Lifetime Modular Body Structure

NOTE: See Warranty Certificate for Details

**BULLDOG FIRE & EMERGENCY APPARATUS**  
**17 WINTER STREET • WOODVILLE, MA 01784**  
**PHONE: 877-64-2707 • WEB: [www.BulldogFireApparatus.com](http://www.BulldogFireApparatus.com)**